

## Molecular Hydrogen Key Health & Medical References

1. Ohta. Recent progress toward hydrogen medicine: potential of molecular hydrogen for preventive and therapeutic applications. *Curr Pharm Des* 17:2241-52 (2011).
2. Hong et al. Hydrogen as a selective antioxidant: a review of clinical and experimental studies. *J Int Med Res* 38:1893-1903 (2010).
- 2a. Kaur et al. In vitro batch fecal fermentation comparison of gas and short-chain fatty acid production using “slowly fermentable” dietary fibers. *J Food Sci* 76(5):H137-42 (2011).
- 2b. Ito et al. Degree of polymerization of inulin-type fructans differentially affects number of lactic acid bacteria, intestinal immune functions, and immunoglobulin A secretion in the rat cecum. *J Agric Food Chem* 59:5771-8 (2011).
- 2c. Ohsawa et al. Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals, *Nat Med* 13(6):688-94 (2007).
- 2d. Rumessen and Gudmand-Hoyer. Fructans of chicory: intestinal transport and fermentation of different chain lengths and relation to fructose and sorbitol malabsorption. *Am J Clin Nutr* 68:357-64 (1998).
2. Rideout et al. Excretion of major odor-causing and acidifying compounds in response to dietary supplementation of chicory inulin in growing pigs. *J Anim Sci* 82:1678-84 (2004).
- 3b. Delzenne et al. Impact of inulin and oligofructose on gastrointestinal peptides. *Br J Nutr* 93 Suppl 1: S157-61 (2005).
- 3c. Piche et al. Colonic fermentation influences lower esophageal sphincter function in gastroesophageal reflux disease. *Gastroenterology* 124:894-902 (2003).
4. Nagata et al. Consumption of molecular hydrogen prevents the stress-induced impairments in hippocampus-dependent learning tasks during chronic physical restraint in mice. *Neuropsychopharmacology* 34:501-8 (2009).
5. Hayashida et al. Inhalation of hydrogen gas reduces infarct size in the rat model of myocardial ischemia-reperfusion injury. *Biochem Biophys Res Commun* 373:30-5 (2008).
6. Sun et al. Hydrogen-rich saline protects myocardium against ischemia/reperfusion injury in rats. *Exp Biol Med* 234:1212-9 (2009).
- 6a. Ndengele et al. Cyclooxygenases 1 and 2 contribute to peroxynitrite-mediated inflammatory pain hypersensitivity. *FASEB J* 22:3154-64 (2008).
- 6b. Yeo et al. Antinociceptive effect of CNS peroxynitrite scavenger in a mouse model of orofacial pain. *Exp Brain Res* 184(3):435-8 (2009).
- 6c. Janes et al. Anti-superoxide and anti-peroxynitrite strategies in pain suppression. *Biochim Biophys Acta* [online computer file] 1822:815-21 (2012).
- 6d. Salvemini et al. Roles of reactive oxygen and nitrogen species in pain. *Free Radic Biol Med* 51:951-66 (2011).
7. Hanaoka et al. Molecular hydrogen protects chondrocytes from oxidative stress and indirectly alters gene expressions through reducing peroxynitrite derived from nitric oxide. *Med Gas Res* 1:18-26 (2011).
- 7b. Ohsawa et al. Consumption of hydrogen water prevents atherosclerosis in apolipoprotein E knockout mice. *Biochem Biophys Res Commun* 377:1195-8 (2008).

8. Gu et al. Drinking hydrogen water ameliorated cognitive impairment in senescence-accelerated mice. *J Clin Biochem Nutr* 46:269-76 (2010).
9. Liu et al. Hydrogen saline offers neuroprotection by reducing oxidative stress in a focal cerebral ischemia-reperfusion rat model. *Med Gas Res* 1:15-24 (2011).
- 9b. Zheng et al. Hydrogen-rich saline protects against intestinal ischemia-reperfusion injury in rats. *Free Radic Res* 43(5):478-84 (2009).
- 9c. Fukuda et al. Inhalation of hydrogen gas suppresses hepatic injury caused by ischemia/reperfusion through reducing oxidative stress. *Biochem Biophys Res Commun* 361:670-4 (2007).
10. Nakao et al. Effectiveness of hydrogen rich water on antioxidant status of subjects with potential metabolic syndrome—an open label pilot study. *J Clin Biochem Nutr* 46:140-9 (2010).
- 10b. Kajiyama et al. Supplementation of hydrogen-rich water improves lipid and glucose metabolism in patients with type 2 diabetes or impaired glucose tolerance. *Nutr Res* 28:137-43 (2008).
- 10c. Fujita et al. Hydrogen in drinking water reduces dopaminergic neuronal loss in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease. *PLoS One* 4(9):e7247 (2009).
- 10d. Fujita et al. Therapeutic effects of hydrogen in animal models of Parkinson's disease. *Parkinsons Dis* 2011:307875-83 (2011).
- 10e. Fu et al. Molecular hydrogen is protective against 6-hydroxydopamine-induced nigrostriatal degeneration in a rat model of Parkinson's disease. *Neurosci Lett* 453:81-5 (2009).
11. Nilsson et al. Including indigestible carbohydrates in the evening meal of healthy subjects improves glucose tolerance, lowers inflammatory markers, and increases satiety after a subsequent standardized breakfast. *J Nutr* 138:732-9 (2008).
12. Shimouchi et al. Effect of dietary turmeric on breath hydrogen. *Dig Dis Sci* 54:1725-9 (2009).
13. Tomlin et al. Investigation of normal flatus production in healthy volunteers. *Gut* 32:665-9 (1991).
14. Qian et al. Radioprotective effect of hydrogen in cultured cells and mice. *Free Radic Res* 44(3):275-82 (2010).
15. Qian et al. The potential cardioprotective effects of hydrogen in irradiated mice. *J Radiat Res* 51:741-7 (2010).
16. Ohta. Molecular hydrogen is a novel antioxidant to efficiently reduce oxidative stress with potential for the improvement of mitochondrial diseases. *Biochim Biophys Acta* 1820:586-94 (2012).
17. Xie et al. Hydrogen gas improves survival rate and organ damage in zymosan-induced generalized inflammation model. *Shock* 34(5):495-501 (2010).
18. Xie et al. Protective effects of hydrogen gas in murine polymicrobial sepsis via reducing oxidative stress and HMGB1 release. *Shock* 34:90-97 (2010).
19. Ong et al. Manipulation of dietary short chain carbohydrates alters the pattern of gas production and genesis of symptoms in irritable bowel syndrome. *J Gastroenterol Hepatol* 25(8):1366-73 (2010).